Page 1 of 5 MSDS No.: TK825C-KME-02



# MATERIAL SAFETY DATA SHEET

Date/ Revision: May 15, 2007

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name

: Cyan Toner for KM-C2520, C3225, C3232, C2525E, C3225E, C3232E, C4035E

Manufacturer	
Name	: KYOCERA MITA CORPORATION
Address	: 2-28, 1-Chome, Tamatsukuri, Chuo-ku, Osaka, Japan, 540-8585
Contact Point	
Name	: KYOCERA MITA Europe B.V
Address	: Hoeksteen 40, 2132 MS Hoofddorp, Netherlands
Telephone Number	: +31(0)20-6540000

## 2. COMPOSITION/ INFORMATION ON INGREDIENTS

Substance or preparation ; Preparation

Major Ingredients ;

Chemical Name(Common Name)	CAS No.	Weight %
Polyester resin	-	80-90
Styrene acrylate copolymer	-	1-5
Ester wax	-	1-5
Organic pigment	-	1-5
Silica	7631-86-9	1-5

# **3. HAZARDS IDENTIFICATION**

Most Important Hazards	: Not classified as dangerous.(1999/45/EC)	
Specific Hazards	: None	
Other Information on Hazards	: Potential Health Effects	
Ingestion : Ingest	ion is not applicable route of entry for intended use.	
Inhalation : Prolon	: Prolonged inhalation of excessive dusts may cause lung damage.	
Use of	this product, as intended, does not result in inhalation of	
excess	sive dusts.	
Eye Contact : May c	ause eye irritation.	
Skin Contact : Unlike	ly to cause skin irritation.	

Page 2 of 5 MSDS No.: TK825C-KME-02

4. FIRST-AID MEASURES		
Inhalation	: Remove from exposure to fresh air and gargle with plenty of water.	
	Consult a doctor in case of such a symptoms as coughing.	
Skin Contact	: Wash with soap and water.	
Eye Contact	: Flush with water immediately and see a doctor if irritating.	
Ingestion	: Rinse out the mouth. Drink one or two glasses of water to dilute.	
	Seek medical treatment if necessary.	

## **5. FIRE-FIGHTING MEASURES**

Extinguishing Media	: Water (Sprinkle with Water), Foam, Powder, CO <sub>2</sub> or
	Dry Chemical Extinguisher
Fire-Fighting Procedure	: Pay attention not to blow away toner powder. Drain water off
	around and decrease the atmosphere temperature to
	extinguish the fire.

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	: Avoid inhalation, ingestion, eye and skin contact in case of accidental toner release.
Environmental Precautions Method for Cleaning Up	: No special precaution : Gather the released toner not to blowing away and wipe up with a wet cloth.

# 7. HANDLING AND STORAGE

Handling	: Never open the toner container.
Storage	: Keep the toner container tightly closed and store in a cool, dry and
dark place keeping away from fire.	
	Keep away from children.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters<Reference Data>:

ACGIH TLV(2000)	: Silica 10mg/m <sup>3</sup> , Total Dust 10mg/m <sup>3</sup>		
OSHA PEL(1993)	: Silica 5mg/m <sup>3</sup> , Total Dust 15mg/m <sup>3</sup>		
Protective Equipment	: Respiratory protection, eye protection, hand protection, skin and		
	body protection are not required under normal use.		
Ventilation	: Ventilator is not required under normal use.		

Physical state:	Solid	Form: Fine powder	Color: Cyan	Odor: Odorless
рН	: N.A.			
Melting Point	: 115 °C	2		
Explosion Properties	Exper rank s	explosion is improbable imental explosiveness uch kind of powder as ding to the pressure risi	of toner is classifie flour, dry milk and	ed into the same
Specific Gravity	: 1.4 (H	<sub>2</sub> O=1)		
Solubility	: Almos	t insoluble in water		

# **10. STABILITY AND REACTIVITY**

Stability/ Reactivity	: Stable under normal use.
Hazardous Decomposition Products	: None

# **11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity	: No data available
Acute dermal toxicity	: No data available
Acute inhalation toxicity	: No data available
Acute eye irritation	: No data available
Acute skin irritation	: No data available
Skin sensitisation	: No data available
Mutagenicity	: Ames Test is Negative.
Reproductive Toxicity	: No reproductive toxicant, according to MAK, California
	Proposition 65, TRGS905 and EU Directive(67/548/EEC).
Carcinogenicity	: No carcinogen or potential carcinogen(except carbon black),
	according to IARC, Japan Association on Industrial Health, ACGIH,
	EPA, OSHA,NTP, ILO, MAK, California Proposition 65, TRGS 905
	and EU Directive(67/548/EEC).

Chronic effects:

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration(16mg/m<sup>3</sup>) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle(4mg/m<sup>3</sup>) exposure group. But no pulmonary change was reported in the lowest(1mg/m<sup>3</sup>) exposure group, the most relevant level to potential human exposures. Other information : None

#### **12. ECOLOGICAL INFORMATION**

No data available

## **13. DISPOSAL CONSIDERATIONS**

Do not incinerate toner and toner containers. Dangerous sparks may cause burn.

Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

#### **14. TRANSPORT INFORMATION**

UN No. : None

UN Shipping Name : None

UN Classification : None

UN Packing Group : None

Special Precautions : None

## **15. REGULATORY INFORMATION**

#### EU Information

Label information according to the Directives 67/548/EEC and 1999/45/EEC.

Symbol and Indication	: Not required
R-Phrase	: Not required
S-Phrase	: Not required
Special markings	: Not required

Hazardous ingredients for labeling: Not required

#### US Information

All components in this product comply with order under TSCA.

## **16. OTHER INFORMATION**

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability whatsoever for the accuracy or completeness of the information contained herein.

<Abbreviation>

ACGIH	: American Conference of Governmental Industrial Hygienists
PEL	: Permissible Exposure Limit
OSHA	: Occupational Safety and Health Administration
TLV	: Threshold Limit Value
MAK	: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche
	Forschungsgemeinschaft
TRGS	: Technische Regeln für Gefahrstoffe(Deutsche)
IARC	: International Agency for Research on Cancer
EPA	: Environmental Protection Agency(USA)
NTP	: National Toxicology Program
ILO	: International Labour Office
UN	: Nnited Nations
TSCA	: Toxic Substances Control Act(USA)
<reference></reference>	

ISO 11014-1 Safety data sheet for chemical products

- Commission Directive 91/155/EEC and 2001/58/EC
- Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats H.Muhle et.al

Fundamental and Applied Toxicology 17.280-299(1991)

 Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats
B.Bellmann
Fundamental and Applied Texicology 17 200 212(1001)

Fundamental and Applied Toxicology 17.300-313(1991)